



# 10" DIRECTOR SERIES

## DETAILS MATTER

When real dynamic bass from the ceiling is the demand, the Director 10" speakers are the obvious answer. A massive 10" woofer backs up the incredible pivoting Focal Point™ mid/tweeter assembly in our TriLinear®, three-way configuration assuring the sound ends up exactly where it needs to be. In addition, this 10" speaker astoundingly fits into a footprint the size of a conventional 8". The Director 10" speakers are sure to impress.

## PRODUCT ID



D109

D107

D105

D103DT

D101

## MORE BASS. LESS SPACE.

Our 10" in-ceiling loudspeakers have the smallest cut-out than any on the market, fitting a powerful 10" woofer into the old-school 8" in-ceiling cutout.

So by choosing our 10" series loudspeakers, you are able to effectively have more bass, in less space.



MULTI-MOTION™ TWEETER



TRI-LINEAR® CONFIGURATION



DPSD™ TWEETER



TOOL-LESS MOUNTING SYSTEM

VARIABLE DEPTH  
ABSORPTION LAYER®

X-WAVE® WOOFER SURROUND

BASS & TREBLE EQ ADJUSTMENT  
109 & 107 • Bass & Treble EQ  
105 • Treble EQ

# 10" DIRECTOR SERIES




## SPECIFICATIONS ALL 10" SERIES

Cutout Diameter 10 <sup>3</sup>/<sub>8</sub>" (264mm)

Speaker Diameter 11 <sup>1</sup>/<sub>2</sub>" (286mm)

Grille Diameter 11 <sup>3</sup>/<sub>4</sub>" (299mm)

Grille Depth <sup>3</sup>/<sub>16</sub>" (5mm)



## SPECIFICATIONS

### D109

### D107

### D105

|                    |  |  |  |
|--------------------|--|--|--|
| Part               | SCD100900                                | SCD100700                                | SCD100500                                |
| Tweeter            | <sup>3</sup> / <sub>4</sub> " Silk DPSD™ | <sup>3</sup> / <sub>4</sub> " Silk DPSD™ | <sup>3</sup> / <sub>4</sub> " Silk DPSD™ |
| Midrange           | 4" Kevlar® MMP®                          | 4" Glass Fiber MMP®                      | 4" IMG MMP®                              |
| Woofers            | 10" Kevlar®                              | 10" Glass Fiber                          | 10" IMG                                  |
| Frequency Response | 25Hz-20KHz                               | 28Hz-20kHz                               | 28Hz-20kHz                               |
| Power Handling     | 50-150W                                  | 50-150 W                                 | 50-150 W                                 |
| Impedance          | 6 ohm                                    | 6 ohm                                    | 6 ohm                                    |
| Mounting Depth     | 6 <sup>1</sup> / <sub>4</sub> " (158mm)  | 6 <sup>1</sup> / <sub>4</sub> " (158mm)  | 6 <sup>1</sup> / <sub>4</sub> " (158mm)  |

## SPECIFICATIONS

### D103DT





### D101

|                    |   |   |
|--------------------|---|---|
| Part               | SCD2T100300                             | SCD100300                               |
| Tweeter            | Dual 1" Aluminum                        | 1" Silk Pivoting                        |
| Midrange           | N/A                                     | N/A                                     |
| Woofers            | 10" IMG                                 | 10" Poly/Rubber                         |
| Frequency Response | 37Hz-20KHz                              | 35Hz-20KHz                              |
| Power Handling     | 50-150W                                 | 50-100W                                 |
| Impedance          | 6 ohm                                   | 6 ohm                                   |
| Mounting Depth     | 5 <sup>1</sup> / <sub>4</sub> " (135mm) | 5 <sup>1</sup> / <sub>4</sub> " (135mm) |







# 10" DIRECTOR SERIES





## LINE DRAWINGS



D109 - D105



D103DT



D101



Please visit [docs.originacoustics.com](https://docs.originacoustics.com) or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.