



## **OVERVIEW**

Our Seasons Landscape Satellite speakers a camouflage finish blends perfectly into natural landscape environments.

If that ever-elusive thump is what you are looking for, the Seasons Collection features three different subwoofers. Creating that bass outdoors is a unique challenge due to the absence of defined space.

The seasons outdoor Subs are buried below ground with only a tune port exposed, hidden between garden plants, the incredible bass response fills the area.

## PRODUCT ID





LS44







OSUB12

OSUB10

OSUB8





SPECIFICATIONS	LS64 *	LS44 *	
Part	OLS6600	OLS4400	
Woofer	6" Poly, Passive Radiator	4 <sup>1/2</sup> " Poly	
	**		
Tweeter	1" Titanium	3/4" Titanium	
Frequency Response	60Hz-20kHz	80Hz-20kHz	
Power RMS	50 Watts	50 Watts	
Power Peak	150 Watts	150 Watts	
Impedance	8 ohm/70V	8 ohm/70V	
Transformer Taps	70V - 50W/25W/12.5W/6.25W	70V – 30W/15W/7.5W/3.75W	
Dimensions	11 x 7 x 7" (279 x 178 x 178mm)	8 <sup>5/16</sup> x 5 <sup>5/15</sup> x 5 <sup>5/16</sup> " (211 x 135 x 135mm)	

SPECIFICATIONS	OSUB12	OSUB10	OSUB8
Part	OSUB12000	OSUB10000	OSUB8000
Woofer	12" Poly	10" Poly	8" Poly
Frequency Response	23Hz-100kHz	32Hz-100kHz	39Hz-100kHz
Transformer Taps	300 Watts	300 Watts	100 Watts
Impedance	8 ohm/70V	8 ohm/70V	8 ohm/70V
Dimensions	$17^{3/4} \times 17^{3/4} \times 23^{1/2}$ "	$15^{3/4} \times 15^{3/4} \times 21^{1/2}$ "	12 $^{13/32}$ x 21 $^{3/16}$ x 12 $^{13/32}$ "
	(451 x 451 x 597mm)	(400 x 400 x 546mm)	(315 x 538 x 315mm)



## LINE DRAWINGS







Please see originacoustics.com for most the most updated information concerning these specifications. Products may only be purchased through an authorized integration partner.



## LINE DRAWINGS





Please see originacoustics.com for most the most updated information concerning these specifications. Products may only be purchased through an authorized integration partner.